AUTHOR INDEX

Vol. 56 (1965)

Akamatsu, Yasuyuki (赤松保之)281	Ishii, Seiichi (石井清一)25!
Akashi, Akira (明石 明)377, 385, 417	Ishikawa, Eiji (石川栄治)543
Aoki, Ken (青木 健)85, 309	Ito, Katsuya (伊藤勝也)135
Chihara, Goro (千原呉郎)69	Ito, Masao (伊藤正夫)101
Chihara, Goro (千原呉郎)69	
El-Merzabani, Mahmoud M575, 589	Kachi, Hideki (加地秀樹)91
Endo, Hideya (遠藤英也)	Kataoka, Nobuko (片岡順子)69
Endo, Fideya (建康天也)201, 405	Kawachi, Takashi (河内 卓)415
Fujii, Keiji (藤井敬二)605	Kawamata, Jun-ichi (川俣順一)281
Fukuoka, Fumiko (福岡文子)	Kawazoe, Yutaka (川添 豊)69, 85
87, 219, 293, 309, 529	Kobayashi, Takashi (小林 隆)599
Funakoshi, Ryôya (船越龍弥)151	Kohchi, Seishi (河内清司)177, 429
WERNELS AND DESCRIPTION OF THE PROPERTY OF THE	Komagoe, Takasada (胸越裔貞)101
Goto, Masayoshi (後藤正義)35, 605	Kôsaki, Gorô (神前五郎)281
Hamaoka, Toshiyuki (浜岡利之)503	Kume, Fumihiro (久米文弘)261
Hano, Kotobuki (羽野 寿)	Kuratsune, Masanori (倉恒匡徳)177, 429
49, 367, 377, 385, 417	Kurita, Yoshinori (栗田義則)523
Harada, Hideo (原田英雄)403	Kuroki, Toshio (黒木登志夫)35,605
Hashimoto, Yoshiyuki(橋本嘉幸)13, 23	Kuwata, Tsuguo (桑田次男)467
Hattori, Shoji(服部正次)275	THE RESERVE OF THE RE
Higuchi, Tatsuo (種口龍夫)599	Maeda, Yumiko (前田由美子)69,87
Hirai, Hidematsu (平井秀松)411	Makino, Sajiro (牧野佐二郎)127
Hiraki, Kiyoshi (平木 潔)81, 403, 519, 549	Matsuda, Minoru (松田 実)275
Hirata, Yukiko (平田征子)	Matsumoto, Mitsuo (松本光男)169, 331, 339
Hisamatsu, Takashi (久松 充)	Matsumoto, Takao (松本雌雄) 1
Hirono, Iwao (広野 厳)91	Matsuoka, Kunihiko (松岡邦彦)267
Honjo, Ichio (本庄一夫)421,425	Matsuoka, Yuji (松岡雄治)503
Horie, Akio (堀江昭夫)177, 429	Matsuyoshi, Hajime (松吉 甫)121
Horii Zen-ichi (堀井善一)	Mise, Toru (三瀬 徹)543
	Misonou, Yuzo (御園生雄三)59
Hozumi, Motoo (穂積本男)267, 313	Mita, Takashi (三田 隆)293
Ichihashi, Hidehito (市橋秀仁)223	Mitani, Muneo (三谷宗夫)127
Ida, Noriaki (井田憲明)239	Miura, Tadao (三浦忠雄)485
Ikawa, Yoji (井川洋二)201	Miura, Yoshiaki (三浦義彰)59
Imabayashi, Ken-ichi (今林健一)485	Miyatake, Minoru (宮武 実)121
Imai, Hiroko (今井浩子)411	Miyoshi, Isao (三好勇夫)403, 519, 549
Inui, Naomichi (乾 直道)301, 567	Mizumoto, Ryuji (水本龍二)421, 425
Irino, Shozo (入野昭三)403, 519, 549	Moloney, J.B239
Isaka, Hidehiko (井坂英彦)	Mori, Kazuo (森 和雄)
Ishidate, Morizo (石館守三)13,23	Mori, Tomoyuki (母里知之)267

Moriwaki, Kazuo (森脇和郎)523	Sutou, Koki (須藤弘毅)59
Muguruma, Masahito (六車昌士)81	Suzuki, Kiichi (鈴木騏一)
	Suzuki, Maroh (鈴木磨郎)605
Nagata, Ichiro (永田一郎)59	Suzuki, Shigeo (鈴木成生)461
Nagayo, Takeo (長与健夫)101	Suzuki, Shin-ya (鈴木信也)
Nakahara, Waro (中原和郎)	
69, 85, 87, 293, 309, 529	Tachibana, Misako (橘 美佐子)69,85
Nakakuki, Kazuya (中久木和也)135	Taga, Hiroko (多質弘子)411
Nakayama, Mototada (中山幹董)503	Takahashi, Toshio (高橋俊雄)605
Narisawa, Tomio (成沢富雄)605	Takai, Shin-ichiro (高井新一郎)281
Narumi, Shigehiko (成実重彦)417	Takaku, Michiko (高久道子)23
Ninomiya, Ichiya (二宫一弥)417	Takayama, Shozo (高山昭三)189
Nishino, Yukishige (西野幸重)49, 367	Takayanagi, Nobutatsu (高柳尹立)317
Nishio, Isao (西尾 功)425	Takeuchi, Shoshichi (竹内正七)599
Nishizuka, Yasuaki (西塚泰章)135	Tanaka, Tomiko (田中富子)529
	Tateno, Yukio (館野之男)267
Odashima, Shigeyoshi (小田島成和)13	Tawa, Toshikazu (多和敏一)75
Ohashi, Mochihiko (大橋望彦)313	Taylor, Grant239
Okabe, Kazuko (岡部和子)489	Terayama, Hiroshi (寺山 宏)
Okada, Yoshimi (岡田吉美)503	151, 169, 331, 339, 477
Okagaki, Takashi (岡垣 敬) 599	Tokuoka, Shoji (徳岡昭治)537
Okamoto, Ken-ichi (岡本謙一)77	Tokuzen, Reiko (徳善玲子)
Ono, Hiroko (小野弘子)477	87, 219, 293, 309
Ono, Tetsuo (小野哲生)313	Tsuda, Mitsuhiro (津田充宥)69,87
Ooka, Teruji (大岡照二)353	
Oota, Kunio (太田邦夫)189, 301, 567	Uehara, Nobuaki (上原宣昭)69
Ota, Zensuke (太田善介)81,549	Utsumi, Kazuhiko R. (内海和彦)555
Sakaki, Tetsuya (榊 鉄也)75	Wada, Akira (和田 昭)275
Sakurai, Yoshio (桜井欽夫)575, 589	Warabioka, Kotaro (蕨岡小太郎)411
Saneyoshi, Mineo (害吉峯郎)219	Watanabe, Kiyoko (渡辺紀予子)605
Sato, Haruo (佐藤春郎)35, 605	
Shiba, Shigeru (芝 茂)121	Yamada, Shozo (山田正三)
Shimada, Soshiro (島田惣四郎)75	Yamamoto, Itaru (山本 格)417
Shimazu, Takashi (嶋津 孝)143	Yamamura, Yuichi (山村雄一)503
Sofuni, Toshio (祖父尼俊雄)127	Yokota, Yutaka (横田 豊)
Suda, Masami (須田正己)543	Yokoyama, Hidekichi (横山秀吉)101
Sudo, Hisayo (須藤恒代)13	Yoshioka, Yuko (吉岡佑子)69
Sugimura, Takashi (杉村 隆)267, 415, 489	Yosida, Tosihide H. (吉田俊秀)523

INTERIM TITLE INDEX Vol. 56 (1965)

Actinomycin-induced ascites sarcoma. Establishment of tissue culture strain	roid hormone on
JTC-14 from	mals
Adenomas, pulmonary, in mice. Electron	Anticancer agents, mode of action of,
microscopic study of275	on iron metabolism in tumor-bearing
Alkylating antitumor agent effective on	mice
experimental tumors resistant to nitro-	Antigen analysis of sera from patients
gen mustard589	with malignant tumors by immunodif-
agents, potentiation of the	fusion methods317
carcinostatic activity of, by ferrous	Antitumor agent, new alkylating, effec-
glucuronate385	tive on experimental tumors resistant
Amine, N-nitrosodiethyl Induction of	to nitrogen mustard589
malignant tumors by administration	action, mechanism of, of some
of189	plant polysaccharides529
, N-nitrosodimethyl Induction	activities and structural rela-
of malignant tumors by administration	tionship of tubercidin and toyocamycin
of189	219
Amino acid in diet, effect of, on experi-	activity of 4- or 5-aminoimid-
mental carcinoma and cirrhosis of the	azole-carboxamide derivatives417
liver induced by 4-dimethylaminoazo-	Ascites hepatoma. Development of free-
benzene353	cell sublines of91
Aminoazo dyes, carcinogenic. Nature of	, rat. Strain specificity
the binding of, with liver proteins151	of antigenic protein of411
, carcinogenic. Base com-	sarcoma, actinomyicn-induced.
position of RNA in subcellular fraction	Establishment of tissue culture strain
from liver of rats fed on477	JTC-14 from281
. Mechanism of liver car-	Ascitic fluid. Effect of some drugs on
cinogenesis by169, 331, 339	hyaluronic acid content in367
, reductive cleavage of,	Autoradiographic studies on 20-methyl-
with rat-liver homogenate169	cholanthrene-induced cervical carci-
, 3-hydroxy-, reaction	noma in mice59
products of, with amino acids and amines, and comparison with the na-	Azobenzene, dimethylamino-, de- mthylase activity of rat liver. Induction
tural polar dyes151	of143
Aminoglycols, sulfonic acid esters of. In-	, 4-dimethylamino Effect
hibition of tumor growth by575	of protein and amino acid in diet on
Antibody production. Effect of parathy-	liver carcinoma induced by353

Azotoluene, o-amino-, liver tumor	Mode of action of267
induction by a single injection in new-	Cholanthrene, 20-methyl-, -induced
born mice	tumor. Antigenicity of a crude lipopoly- saccharide of
tion of some unknown dyes found in	, biological
liver of mice given339	
	mechanism of the effect of, on the induc-
Benzo[a]pyrene, penetration of, into the	tion of dimethylaminoazobenzene
esophageal mucosa177	demethylase activity of rat liver143
Bone tumors, human. Chromosome	Chromosome condition in effusion cells
studies on251	from a patient with neuroblastoma127
Cancer, esophageal. Production by ad-	studies on human bone
ministration of ethanolic solution of	tumors in in vivo and in vitro251
carcinogens429	Chromosomal aberrations in Yoshida
, human gastric. Early phases of	sarcoma cells treated with 4-nitro-
101	quinoline 1-oxide523
, mammary. Incidence and metas-	features of a cancer
tasis in inbred substrain of C3H mouse	clone443
605	Clone, cancer. Variable drug sensitivity
, pulmonary and uterine. Induction	and chromosomal features of443
by 4-nitroquinoline 1-oxide in mice	Cyclophosphamide, induction of tumor
513	in mice with537
Carcinogens. Experimental production	Cytochemical and cytological aspects
of esophageal cancer by administration	on the effect of MEPA on Yoshida
of ethanolic solution of429	sarcoma cells555
Carcinogenesis in the esophagus177	N-Demethylation, in vivo, of various
Carcinoma, gastric, histological features	aminoazo dyes331
of567	DNA content of human tumor cell nucleus
, cervical, in mice. Autoradio-	567
graphic studies on 20-methylcholan-	, measurement of, by Feulgen-micro-
threne-induced59	spectrophotometry on Friend's disease
, mammary, in AKR mice.	cells301
Sarcomatous transformation of403	Ehrlich ascites carcinoma cells. Effect
- of uterine cervix. Effect of	of some drugs on hexosamine synthesis
external irradiation on exfoliated tumor	in367
cells in599	Electron microscopy of transplantable
of the liver. Effect of protein	lymphocytic leukemia and reticulum
and amino acid in diet on353	cell sarcoma in C3Hf mice549
Carcinostatic activity, potentiation of,	microscopic study of mam-
of alkylating agents by ferrous	mary cancer in a high leukemic strain
glucuronate385	THE SHIP WAS A PROPERTY OF THE
liver factors active in vitro.	C58 mouse
Isolation and characterization of69	
	nitroquinoline 1-oxide to 4-amino-
liver factor active in vitro.	quinoline 1-oxide by489

8

Esophageal mucosa. Penetration of	chemical demonstration of201
benzo[a]pyrene and other hydrocarbons	Lactic dehydrogenase isozymes. Histo-
into177	chemical demonstration of201
Esophagus. Carcinogenesis in177	Leukemia, transplantable lymphocytic,
Ferrous glucuronate. Potentiation of	electron microscopy of549
the carcinostatic activity of alkylating	in mice, induction of, by 4-
agents by385	nitroquinoline 1-oxide513
Friend's disease cells. Measurement	virus, Moloney, vertical
of deoxyribonucleic acid by Feulgen-	transmission of, in A/LN strain of mice
microspectrophotometry on301	239
Friend virus. Transplantable mouse	Leukemic strain C58 mouse. Electron
sarcoma associated with309	microscopic study of mammary cancer
β-Glucuronidase in normal and abnor-	in
mal tissues employing Naphthol AS-	Lipopolysaccharide fraction, crude, of
OL glucuronide as a substrate461	the methylcholanthrene-induced tumor.
Hexosamine synthesis, effect of some	Antigenicity of
drugs on, in Ehrlich ascites carcinoma	Liver carcinogenesis by certain amino-
cells	azo dyes. Mechanism of169, 331, 339
Histochemical demonstration of lactic	— factor active, carcinostatic. Mode of
dehydrogenase isozymes201	
	action of
Hormone, parathyroid, effect of, on the	, carcinostatic, active in vitro.
metastasis formation of tumor421	Isolation and characterization69
, parathyroid, effect of, on lymph	- fraction, effect of, on the growth of
node and production of antibody425	transplanted tumors87
Hyaluronic acid content, effect of some	- proteins. Nature of the binding of
drugs on, in the ascitic fluid367	carcinogenic aminoazo dyes with151
Hydrocarbons, penetration of, into the	— tumor. Induction by a single injec-
esophageal mucosa177	tion of o-aminoazotoluene to newborn
Imidazole-carboxamide, 4- or 5-amino-,	mice135
derivatives. Antitumor activity of	Lymph node. Effect of parathyroid hor-
417	mone on425
Immune responses, influence of, on	Malignancy, pathological, and sponta-
tumor growth223	neous CO2-uptake activity in bladder
Immunity, isologous, in inbred rats1	tumor485
Inhibition of tumor growth by new sul-	Mammary cancer, electron microscopic
fonic acid esters of aminoglycols575	study of, in a high leukemic strain C58
Iron metabolism, in tumor-bearing	mouse81
mice. Mode of action of anticancer	Metabolism of mucopolysaccharides in
agents on385, 377	tumor cells, pharmacological studies
Irradiation, external, effect on exfoliated	on49
tumor cells in carcinoma of the uterine	Metastasis formation of experimental
cervix599	tumor. Effect of parathyroid hormone
Isozymes, lactic dehydrogenase. Histo-	on421
, , , , , , , , , , , , , , , , , , , ,	

3 3 7

)

)

inbred substrain of C3H mouse605	carcinoma induced by a single sub- cutaneous injection of
N-Methylation, in vivo, of various amino-	, Chromo-
azo dyes331	somal aberrations in Yoshida sarcoma
Mucopolysaccharides in tumor cells.	cells treated with 523
Pharmacological studies on the metabo-	,, conversion
lism of49	of, to 4-aminoquinoline 1-oxide by
Naphthol AS-OL glucuronide. β-Gluc-	rat liver enzymes489
uronidase in normal and abnormal	,, effect of,
tissues employing461	on normally and synchronously divid-
Neuroblastoma. Chromosome condi-	ing Tetrahymena pyriformis GL293
tion in effusion cells from a patient	Resistance, acquired transplantation13, 23
with127	Reticulum cell sarcoma, in C3Hf mice.
Nitrogen mustard. A new alkylating	Electron microscopy of549
antitumor agent effective on experiment-	cell sarcoma, serial trans-
al tumors resistant to589	plantation of, in C3Hf mice519
Polar dyes, natural. Reaction products	RNA, base composition of, in subcellular
of 3-hydroxyaminoazo dyes with amino	fraction from liver of rats477
acids and amines, and comparison with	Sarcoma, induction of, in rats by a single
	injection of 4-hydroxyaminoquinoline
Polysaccharides, plant. Mechanism of	1-oxide
antitumor action of	transplantable mouse, associ-
Protein, antigenic, strain specificity of,	ated with the Friend virus309
of rat ascites hepatoma411	Sarcomatous transformation of mam-
in diet, effect of, on experimental	mary carcinoma in AKR mice403
carcinoma and cirrhosis of the liver	Sensitivity, drug, variable, and chromo-
induced by 4-dimethylaminoazobenz-	somal features of a cancer clone443
ene353	Substrain, inbred, of C3H mouse. Char-
metabolism. Host-tumor rela-	acteristics of605
tionship with reference to 543	Tissue culture strain JTC-14 from ac-
Pulmonary carcinoma, induced by 4-	tinomycin-induced ascties sarcoma.
nitroquinoline 1-oxide77	Biological characters of281
Quinoline 1-oxide, 4-amino-, by rat	Toxohormone, fractionation of, with cal-
liver enzymes. Conversion of 4-nitro-	cium phosphate gel313
quinoline 1-oxide to489	Toyocamycin. Antitumor activities of
, 6-carboxy-4-	
nitro Carcinogenic activity of415	Transplantable tumor, spontaneous,
, 4-hydroxyamino	in Donryu rat75
A new method for the preparation of85	
The method for the preparation of	Transplanted tumors. Effect of liver
Induction of sarcoma in rats by a single	fractions on the growth of87
THE RESIDENCE OF STREET AND ADDRESS OF THE ADDRESS	Tryptophan pyrrolase in the isolated
injection of	perfused liver of tumor-bearing animals
-, 4-nitro Pulmonary	

Tubercidin. Antitumor activities of219
Tumors, viral infection of, in homologous
and heterologous hosts467
Viral infection of tumors in homologous
and heterologous hosts467
Yoshida sarcoma. Action of peritoneal
exudate cells of Donryu rats immune
to the tumor against23
- Mar Caralantantantant

cytochemical aspects on the effect of
MEPA on 555
. In vitro growth of35
Pretreatment of
Donryu rat with attenuated
quinoline 1-oxide. Chromosomal aber-
rations in 529